





8 7 6 5 4 3 2 1


F E D C B A




Lagerung Schnitt (1:5)



A (1 : 5)



B (1 : 5)



| | | | |
|------|------|---------------------|-----------------|
| 15 | 1 | Antrieb 300 Nm | optional |
| 14 | 1 | Konsole F12-F10 | optional |
| 13 | 1 | DIN 11024-E - 6mm | Federstecker |
| 12 | 1 | Bedienhebel manuell | 10170F |
| 11 | 8 | DIN 125-2 - 13B | Unterlegscheibe |
| 10 | 8 | DIN 933 - M12 x 60 | Sechskantschr. |
| 9 | 12 | DIN 125-2 - 17B | Unterlegscheibe |
| 8 | 12 | DIN 933 - M16 x 20 | Sechskantschr. |
| 7 | 4 | DIN 439 - M33 x 1,5 | Sechskantmutter |
| 6 | 2 | DIN 125-2 - 34B | Unterlegscheibe |
| 5 | 2 | Lager Buchse | 10119F |
| 4 | 2 | Lager Gehaeuse | 10119F |
| 3 | 2 | Achsende | 10118F |
| 2 | 1 | Klappe | 10106F |
| 1 | 1 | Gehäuse | 10106F |
| Pos. | Men. | Benennung / Norm | Bemerkung |

| | | | |
|--------------|------------|--|-----------------------------|
| netto 310kg | | WETERTECHNIK WETTER - UND WEICHENTECHNISCHE ANLAGEN FÜR DEN UNTERTAGEBERGBAU Essen | |
| 10105U | | | |
| Gezeichnet | Datum | Name | Luttenklappe DN2000S |
| Kontrolliert | 12.08.2019 | M.Rewinski | |
| Norm | | | |
| 10105U | | Übersichtszeichnung | 1 / 1 A2 |

8 7 6 5 4 3 2 1

A B C D E F